Sample Questions 12

Let I_n be the $n \times n$ identity matrix. Let 4 O_{m,n} be the $m \times n$ zero matrix.

 Let V and W be two vector spaces with dimensions n and m, respectively. Let f : V → W be a homomorphism from V to W. Find a basis B of V and a basis D of W such that

$$\operatorname{Rep}_{\mathcal{B},\mathcal{D}}(f) = \begin{bmatrix} I_r & O_{r,n-r} \\ O_{m-r,r} & O_{m-r,n-r} \end{bmatrix},$$

where
$$r = rank(f)$$
.

2. Diagonalize

$$\mathbf{A} = \begin{bmatrix} 0 & 1 & 1 & 1 \\ 1 & 0 & 1 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{bmatrix}$$

or show that it is not diagonalizable.

3. Diagonalize

$$\mathbf{A} = \begin{bmatrix} 0 & 1 & 0 & 1 \\ 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \\ 1 & 0 & 1 & 0 \end{bmatrix}$$

or show that it is not diagonalizable.

$$\mathbf{A} = \begin{bmatrix} 2 & 0 & 1 & 1 \\ 0 & 2 & 1 & 1 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}.$$

Find the characteristic polynomial of **A** and the eigenspace for each of the eigenvalues of **A**.

5. Diagonalize

$$\mathbf{A} = \begin{bmatrix} 2 & 1 & 1 & 1 \\ 0 & 2 & 1 & 1 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

or show that it is not diagonalizable.

- Find a 5 × 5 matrix whose eigenvalues are 1 and 2 such that 1 has algebraic multiplicity 2 and geometric multiplicity 1, while 2 has algebraic multiplicity 3 and geometric multiplicity 2.
- 7. A (left) stochastic matrix is a non-negative square matrix such that each column sum is 1. Show that every stochastic matrix has the eigenvalue 1. [In a Markov chain with the stochastic matrix M, if Mv = v, then v is the final stationary distribution and is the eigenvector corresponding to the eigenvalue 1.]